



*The expert (not only) for poultry houses.*



## HIGHLIGHT

6 wheels with all-wheel drive provide the perfect grip on any surface. In poultry houses, cow or bull barns or in outdoor areas with municipal attachments, the powerhouse always cuts a fine figure.

### Technical data

	Dozer
Engine	(diesel) Kubota D 1305, 3 cylinder diesel
Volume	83 dB
Power	21.7 kw
Drive	all-wheel drive (all 6 tires)
Speed	infinitely up to 10 km / h
Start	electric start
Hydraulic	with
Hydraulic power	51 l / min.
Steering	superimposed steering
Weight	approx. 725 kg
Size	L = 1830 mm, B = 970 mm, H = 1320
Chassis	6 mm hot-dip galvanized steel
Tires	6 x AS tires 16x6,5-8
Lifting of attaching machines	hydraulically
Lighting	front and rear lighting as standard
Accessories	incl. operating hours counter
Mounting options	milling machine, trough washer, radial brush, feed auger, spreader, scraper, washer, snow blower

(Technical data is approximate and non-binding.)

# ATTACHING MACHINES FOR DOZER

Milling machine GF1000/15



- working width: 1000 mm
- loosens straightened bedding material
- the occurrence of foot ball diseases during poultry is noticeably reduced

Trough washer TW



- effective cleaning of the poultry troughs in one work passage
- reliable removal of disease pathogens
- incl. high-pressure water and foam nozzle

Radial brush R 1200



- working width: 1200 mm
- for sweeping large quantities of debris
- direction of rotation clockwise / counterclockwise adjustable
- bristle set quickly changeable over screws

Feed auger FA 1200



- working width: 1200 mm
- open windings loosen and evaluate this feed and return to the animal

Spreader EG 580



- flexible spreading paddles transport the spreading material out

Scraper ASS 900 / ASS 1200



- working width: 900 or 1200 mm
- C-shaped front doesn't let mess drift away
- also additional side brush available for cleaning the lying areas

*more mounting options* →

# ATTACHMENT MACHINES FOR DOZER

Washer SW 1200



- working width: 1200 mm
- including 150 l water canister, filter, high pressure pump, clearing stars,
- accessories: adapters for high-pressure nozzle

Snow blower SF 1000



- working width: 1000 mm
- ejector rail is manually swiveling to the left and right